

Daniel J. Alfonso City Manager

To Whom It May Concern:

Subject: Reference Letter for **Proposer**, as defined in **RFQ No. 16-17-005**.

The Following Section to be Completed by the Proposer.

Name of Proposer:

The above referenced Proposer is responding to a Request for Qualifications (RFQ) that has been issued by the City of Miami. We require that the Proposer provide written references for the projects submitted to support their qualifications statement for this RFQ. The **Proposer** is requesting that you, as the Owner of the project referenced below, provide the following information, as well as any other pertinent information. Your insight is appreciated.

Name of Project:

The Following Section to be Completed by the Project Owner.

Scope of Work for Referenced Project:

Value of Project: \$_____

Procurement Department

Type of Project:

Project completed on time and within budget:] Yes 🗌 No	Project Duration:	
--	------------	-------------------	--

If no, was the **Propose**r at fault or contribute to the delay(s) or increased cost? Yes No

Quality of Services: Above Expectations Average Below Expectations

(Above expectations means there were	fewer errors and omissions than anticipated)
--------------------------------------	--

Did the Proposer provide Program Administration Services?	Yes No Limited Scope
Did the Proposer provide Production Management Services?	□ Yes □ No □ Limited Scope
Did the Propose r provide Construction Administration Services?	Yes No Limited Scope
Was the Proposer responsive to the Owner?	🗌 Yes 🗌 No
Was the Proposer timely in its reviews and submittals?	🗌 Yes 🗌 No
What Specialty Services did the Proposer perform?	

Please type in the field below to provide comments (Please use the attached additional page, as necessary):

Name of Project Owner:		
Name of Project Owner's Represer	ntative:	
Signature of Project Owner's Repre	esentative:	
Title:		
Telephone:	E-mail:	
Date:		
Sincerely,		
Annie Perez, CPPO Director		RFQ-PP-R Revised 12/23/2016



Daniel J. Alfonso City Manager

Please utilize the space below, as necessary.