



Carlos A. Gimenez, Mayor

Department of Regulatory and Economic Resources

Environmental Resources Management

701 NW 1st Court, 6th Floor

Miami, Florida 33136-3912

T 305-372-6567 F 305-372-6407

miamidade.gov

December 15, 2014

RE: Miami-Dade County Class II Permit No. 20140062: located at 2055 NW 8 ST MIAMI, FL 33125-

Dear MR. JUAN RAMIREZ:

Enclosed is a copy of Class II Permit No. 20140062, pursuant to the provisions of Section 24-48 of the Miami-Dade County code. Please call or notify this office no later than forty eight(48) hours and no earlier than five(5) days prior to the commencement of work authorized by this permit, by submitting the attached Notice of Commencement of Construction via hand delivery, U.S. Mail, or by facsimile at (305)372-6489.

If you have any questions, please contact MAYRA A DE TORRES of this office at (305)372-6681.

Sincerely,

Maria D. Molina, P.E.
Senior Professional Engineer
Water Control Section

Enclosure





Carlos A. Gimenez, Mayor

Department of Regulatory and Economic Resources
Environmental Resources Management
701 NW 1st Court, 6th Floor
Miami, Florida 33136-3912
T 305-372-6567 F 305-372-6407
miamidade.gov

NOTICE OF COMMENCEMENT OF CONSTRUCTION

Permit Number: CLII - 20140062

Issue Date: December 15, 2014

Expiration Date: December 15, 2016

Project Name: CITY OF MIAMI - GROVE PARK PHASE II - B40347

Location: 2055 NW 8 ST MIAMI, FL 33125-


Permittee: MR. JUAN RAMIREZ
CITY OF MIAMI

Professional Engineer: MR. SEAN COMPEL, P.E.
STANTEC

MUST BE FILLED IN BY PERMITTEE OR CONTRACTOR:

START DATE: _____

DATE OF COMPLETION : _____





Carlos A. Gimenez, Mayor

Department of Regulatory and Economic Resources

Environmental Resources Management

701 NW 1st Court, 6th Floor

Miami, Florida 33136-3912

T 305-372-6567 F 305-372-6407

miamidade.gov

Class II Drainage Construction Permit

Permit Number: CLII-20140062
Project Manager: MAYRA A DE TORRES

Issue Date: 12/15/2014
Expiration Date: 12/15/2016

Permittee:

CITY OF MIAMI
MR. JUAN RAMIREZ
444 SW 2 AVENUE
MIAMI, FL 33130-

Professional Engineer:

STANTEC
MR. SEAN COMPEL, P.E.
901 PONCE DE LEON BOULEVARD, SUITE 901
CORAL GABLES, FL 33134-

Application Name: CITY OF MIAMI - GROVE PARK PHASE II - B40347

Project Location: 2055 NW 8 ST MIAMI, FL 33125-

Project Description:


Proposed drainage improvement to serve the City of Miami at the Grove Park area. Drainage system will consist in the installation of 1,842 L.F. of Exfiltration Trench, new solid pipes, drainage structures and also the installation of a 36" tideflex check valve at NW 9th Street on an existing 36" drainage pipe which eventually overflow to the Miami River Canal.


Specific Conditions:

- 1. Pollution Remediation Section approval letter dated November 26, 2014 is made part of this permit.
2. A Class V Permit is required for any dewatering activity.
3. Contractor's information must be provided to this office prior to the commencement of this project.
4. The contractor shall be responsible to execute all the Best Management Practices (BMP's) for stormwater erosion and sedimentation control during construction of this project in compliance with the state NPDES requirements.
5. The applicant is advised that any work in, on, over or upon tidal waters, or to work

THE ABOVE NAMED PERMITTEE IS HEREBY AUTHORIZED TO PERFORM THE WORK SHOWN ON THE APPLICATION AND APPROVED DRAWINGS, PLANS, AND OTHER DOCUMENTS ATTACHED HERETO OR ON FILE WITH THE DEPARTMENT AND MADE PART HEREOF, SUBJECT TO THE ATTACHED GENERAL AND SPECIAL CONDITIONS.

THIS PERMIT AND PLANS SHALL BE KEPT ON SITE DURING ALL PHASES OF CONSTRUCTION





Department of Regulatory and Economic Resources

Environmental Resources Management

701 NW 1st Court, 6th Floor

Miami, Florida 33136-3912

T 305-372-6567 F 305-372-6407


Carlos A. Gimenez, Mayor

miamidade.gov

both shall take all necessary precautions to leave the work area in a safe and secure condition.

17. If any contamination is encountered on site during construction, the contractor shall immediately cease all subsurface disturbances and notify the Department by calling (305) 372-6955, (305) 372-6700, or (305) 372-6681.
18. The permittee shall be responsible for establishing adequate measures and engineering controls during construction to ensure compliance with the water quality standards stipulated in Section 24-42(3), of the Code of Miami-Dade County.
19. The permittee shall apply sediment and erosion control measures along the perimeter of the construction site to protect the adjacent properties from sediment and turbidity discharge and erosion damage.
20. Turbidity may not exceed twenty-nine (29) Nephelometric Turbidity Units (NTU's) above background within surrounding surface waters, and within Outstanding Florida Waters, the standards is no degradation above background levels. If the turbidity levels exceed the above standard, all construction activity shall stop and additional turbidity controls shall be implemented. The construction activity shall not resume until the contractor has received authorization from the department. At the department's discretion, turbidity samples may be required and shall be collected in accordance with Section 24-44.2(3), of the Code of Miami-Dade County, or as specified by the department, and the results sent directly to the review engineer.
21. The permittee shall hold and save Miami-Dade County harmless from any and all damages, claims, or liabilities which may arise by reason of the construction, alteration, operations, maintenance, removal, abandonment or use of any system authorized by this permit.
22. The permittee shall take all necessary precautions to prevent construction or demolition debris from falling into adjacent water bodies or wetlands. Any debris that falls into the adjacent water bodies or wetlands shall be removed immediately via a methodology approved by the department. Construction and demolition debris shall be disposed of in accordance with all Federal, State and Local regulations.
23. Any water body affected by the construction activity should be restored to its pre-existing condition prior to the commencement of the work covered by this permit. The permittee shall also be responsible for ensuring complete removal of accumulated sediments, turbidity curtains, and other devices in a water body that would reduce its conveyance or storage capacity. The permittee is responsible in securing any permits required for this restoration work.
24. The permittee shall comply with the provisions of Chapter 16A of the Code of Miami-Dade County related to Historic Preservation to preserve known and potential archeological resources in the area that are subject to this permit.
25. A NPDES (National Pollutant Discharge Elimination System) Stormwater Permit may be required as per Rule 62-621.300(4), F.A.C. for the proposed construction activity. Please contact the Florida Department of Environmental Protection NPDES Stormwater Section at (850) 245-7522 or www.dep.state.fl.us/water/stormwater/NPDES.
26. If any work or activity associated with this project is to take place in-water:

**THIS PERMIT AND PLANS SHALL BE KEPT ON SITE
DURING ALL PHASES OF CONSTRUCTION**





Department of Regulatory and Economic Resources

Environmental Resources Management
701 NW 1st Court, 6th Floor
Miami, Florida 33136-3912
T 305-372-6567 F 305-372-6407

Carlos A. Gimenez, Mayor

miamidade.gov

- 29. A performance and/or mitigation bond may be held to ensure compliance with the aforementioned conditions and the completion of any required mitigation. Failure to comply with any of these conditions may result in the revocation by Miami-Dade County of all or a portion of the bond without further notice. The bond shall remain in force for up to six (6) months after the approved completion date if the work covered by the bond.
- 30. If the engineer who provided certification pursuant to Section 24-48.2(I)(B)(2) or pursuant to Section 24-48.2(II)(A)(4) is discharged by the property owner or his agent, or if said engineer ceases to work on the proposed or approved work, all work allowed by this permit shall immediately cease and shall not be resumed until a new engineer is obtained. The property owner shall also be required to obtain a new engineer who shall meet all the requirements of this permit.
- 31. Issuance of a this permit does not relieve the applicant from obtaining all required federal, State and local permits.
- 32. Within thirty (30) days after completion of the work, the permittee or contractor shall file record drawings or as-built certified by the engineer of record with the Department.
- 33. FOR CONSTRUCTION ACTIVITIES THAT DISTURB ONE (1) ACRE OR GREATER, A NPDES GENERIC PERMIT IS REQUIRED. To apply for this permit call FDEP Stormwater Program: (850) 245-7522 or visit Florida DEP NPDES website at: <http://www.dep.state.fl.us/water/stormwater/npdes/construction3.htm>, to apply on-line.
- 34. The permittee shall retain a copy of the stormwater pollution prevention plan (SWPP) and all reports, records and documentation required by this permit at the construction site, or an appropriate alternative location as specified in the Notice of Intent (NOI), from the date of project initiation to the date of final stabilization. Please refer to DEP Document No. 62-621.3000 (4) (a): <http://www.dep.state.fl.us/water/stormwater/npdes/docs/cgp.pdf>

THIS PERMIT AND PLANS SHALL BE KEPT ON SITE DURING ALL PHASES OF CONSTRUCTION

